

INDEX

A

access control list (ACL), 144
accessibility options, in control panel, 207
access server, 475, 478. *see also* server
account maintenance
 account auditing, 303–304
 deleting accounts, 303
 disabling and enabling accounts, 302
 in general, 301–302
 moving accounts, 302
 resetting password, 303
account management. *see also* management; object management and security
 account maintenance and, 301–304
 client operating systems, 305–308
 delegating, 300–301
 in general, 287, 292–300
 naming conventions setup, 288
 organizational unit creation, 300–301
 in peer-to-peer network, 4
 policy establishment, 288–292
 profiles, 304–305
 properties set up, 296–297
 Remote Installation Services, in general, 308–310
ACL. *see* access control list
Active Directory, 6, 13. *see also* security
 defining, in general, 122–124
 elements
 domain, 129–132
 forest, 137–139
 in general, 128
 organizational unit, 132–134
 site, 140–142
 tree, 135–137
 guidelines, 143
 installing, 306–307
 namespace, 127–128
 planning, 121
 printer publishing in, 436
 schema, 125–127
Add/Remove Hardware Wizard, for printers, 430

address, physical device address, 83
addressing, 89–90
Address Resolution Protocol (ARP), 92–93
Administrative Tools Computer Management tool, 431
administrator account password, 172. *see also* password
alerts, utilizing, 602–605
American National Standards Institute (ANSI), 81
ANSI. *see* American National Standards Institute
answer file, 179
API. *see* application programming interface
AppleTalk, 100, 480
 installation, 231
 print protocols, 427–428
application log, 667
application programming interface (API), 400
ARP. *see* Address Resolution Protocol
attributes, configuring, 349–351
auditing
 accounts, 303–304, 351
 configuring, 357–358
 troubleshooting, 358–359
authentication. *see also* password
 selecting, 523–524

B

backup media, 62
backup operations. *see also* storage; troubleshooting
 full backup, 263
 incremental backup, 263
 procedures for, 263–264, 698–700
 scheduling, 264–265
Bandwidth Allocation Protocol (BAP), 483
BAP. *see* Bandwidth Allocation Protocol
basic input/output system (BIOS), 167

benchmarks. *see also* troubleshooting
 establishing, 570–571, 593
binding order, 100–101
BIOS. *see* basic input/output system
bits per second (bps), 474
booting problems. *see* troubleshooting
boundary, domains, 129–130
bps. *see* bits per second
bridge, 99
broadcasts, 623, 677
browser. *see also* Internet
 backup, 572
 master, 572
 Web browser, 516
buffer size, 634
bus architectures, 46
buses, 42

C

cable, troubleshooting, 680–681
cable TV, 474
cache, 43, 44, 361
 monitoring, 600–602
CALs. *see* client access licenses
cameras, options for, 214
capture trigger, using, 633–634
CDFs. *see* compact disc file system
CD-ROM. *see* compact disc
certificates, 144
Challenge Handshake Authentication Protocol (CHAP), 488
CHAP. *see* Challenge Handshake Authentication Protocol
characters, not allowed in account name, 288
CIM. *see* Common Information Model
client, 2
client access licenses (CALs), 173. *see also* licensing
client connectivity. *see also* account management
client desktops, setting up, 307–308
client operating systems, configuring, 305–308

Client Service for NetWare (CSNW), 173
 clock speed, 42
 clustering, 7
 shared disk model, 44–45
 shared nothing model, 44–45
 Common Information Model (CIM), 15
 communications protocols. *see also* network protocols
 AppleTalk, 100
 DLC, 100
 in general, 85
 IPX/SPX, 95–97
 NetBIOS and NetBEUI, in general, 97–98
 NWLink, 95–97
 TCP/IP
 advantages and disadvantages, 90–91
 in general, 86–87, 103
 IP addressing, 87–88
 protocols, 91–95
 static and dynamic addressing, 89–90
 community name, 638
 compact disc (CD-ROM), 19
 choosing, 63
 installation, 177
 compact disc file system (CDFS), 19
 compatibility. *see also* file system compatibility
 in general, 10–11
 hardware compatibility list, 41
 Windows 2000 Server, 41–42
 connection-oriented communication, 86
 control panel. *see* server configuration
 copying, files and folders, 364–365
 counter, 585, 603
 CRC. *see* cyclic redundancy check
 CSNW. *see* Client Service for NetWare
 cyclic redundancy check (CRC), 680

D

data communications equipment (DCE), 474
 Data Link Control (DLC)
 installation, 231
 protocol, 100
 data terminal equipment (DTE), 474
 data transfer rate, 52
 data type, 425

date, setting up, 209
 date stamp, 209
 DCE. *see* data communications equipment
 DCs. *see* domain controllers
 defragmentation, 257, 597
 devices, managing, 232–233
 Dfs. *see* Distributed File System
 Dfs link, 382, 388–389
 Dfs root system, 382. *see also* Distributed File System
 adding and removing replicas, 389–390
 deleting root, 387
 Dfs link changing, 388–389
 file replication service, 391
 security configuration, 391–392
 troubleshooting, 392
 DHCP Relay Agent, 481, 482–483
 digital subscriber line (DSL), 473
 digital video disc (DVD-ROM), 19
 Directory Service Client (DSClient), 306
 Directory Service log, 667
 disk. *see also* disk; disk storage;
 floppy disk
 basic
 converting, 251–252
 formatting, 169–171, 249–251
 partitioning, 246–248
 volume and stripe sets, 251
 defragmentation, 257, 597
 dynamic
 mirrored volume, 256
 RAID–5 volume, 255–256
 simple volume, 252–253
 spanned volume, 253
 striped volume, 254
 “hot-swapping,” 61
 mounted drive, 259
 performance monitoring, 595–599
 performance and repair, 256–259
 disk access time, 52
 disk drives, multiple, 55
 disk duplexing, 56
 disk fragmentation, 257, 597
 disk mirroring, 56
 disk partition, selecting, 169–171
 disk quota capability, 19
 disk quotas
 configuring, 393–397
 in general, 379–380
 disk security. *see also* security
 backup operations, 263–265
 in general, 262
 performing a restore, 266
 disk storage. *see also* storage
 backup media and, 62
 disk capacity, 51–52
 disk contention, 52–55
 in general, 50
 disk storage fault tolerance
 discussed, 56–59
 selecting, 60–61
 display
 configuring, 218
 options for, 209–210
 distributability, 12
 Distributed Component Object Model (DCOM), 12
 Distributed File System (Dfs). *see also* Dfs root system
 configuring and using
 Dfs models, 381
 Dfs topology, 382–383
 in general, 380–381
 Dfs root system, 387–392
 domain-based Dfs model, 386–387
 in general, 379
 installation, 383
 standalone Dfs model, 384–386
 Distributed Link Tracking, 18
 distribution group, 148
 DLC. *see* Data Link Control
 DNS. *see* Domain Name Service
 DNS Server log, 667
 domain, 123
 discussed, 129–132
 global catalog, 136
 primary domain controller (PDC), 122
 trusted and trusting, 135
 domain controllers (DCs), 123
 Domain Name Service (DNS)
 DNS server, 528
 in general, 50, 92, 127, 229
 installing, 528–534
 DOS
 printer share names, 433
 16-bit programs, 546
 software, 208
 virtual DOS machine, 11–12
 dotted decimal notation address, 87

drive. *see also* disk
mapped, 8

drivers. *see also* network driver specifications; network interface card
configuring, 216–218
for network protocols, 85–86
printer driver, 422, 437

driver signing, 216–218

DSClient. *see* Directory Service Client

DSL. *see* digital subscriber line

DTE. *see* data terminal equipment
dual-boot computer, Windows files
on, 19

dual-boot system, 170

DVD-ROM. *see* digital video disc
dynamic addressing, 89–90

Dynamic Host Configuration
Protocol (DHCP), 89
configuring, 536–537
installing, 535
troubleshooting, 538–539

E

EAP. *see* Extensible Authentication
Protocol

ECC. *see* error checking and correcting

EFS. *see* Encrypting File System

EISA. *see* Extended Industry Standard
Architecture

electronic commerce, 13

emergency repair disk. *see also*
troubleshooting
creating, 190
using, 691

EMF. *see* enhanced metafile

Encrypting File System (EFS), 333

enhanced metafile (EMF) data
type, 426

Enhanced Small Device Interface
(ESDI), 53

enterprise networks, 82

error checking and correcting (ECC)
chips, 50

ESDI. *see* Enhanced Small Device
Interface

Ethertype (ETYPE), 631

ETYPE. *see* Ethertype

event logs, 667

Event Viewer, troubleshooting with,
667–671

Extended Industry Standard
Architecture (EISA), 46

Extensible Authentication Protocol
(EAP), 144, 488

F

FAT. *see* File Allocation Table

fault tolerance, 13, 270–272

fax, 210

fibre channel, 55

file

moving and copying, 364–365

security configuration, 348–363

File Allocation Table (FAT) system,
15–17

FAT16/32, 16–17, 170–171

file compression, 17–18

file lock, 576

file replication service, 391

File Replication Service log, 668

file system, 171. *see also* folder
cache monitoring, 600–602
choosing, 19–20

file system compatibility. *see also*
compatibility

compact disc file system, 19

File Allocation Table system, 15–17

in general, 15

NT File System, 17–19

Universal Disk Format, 19

File Transfer Protocol (FTP), 91, 468,
644–645

filters, creating, 628, 631–633

firmware, 48

floppy disk. *see also* disk
installation, 177–178

folder. *see also* file; file system

home, 259

mapped, 8

moving and copying, 364–365

options for, 210–211

security configuration, 348–363

shared, publishing, 392–393

fonts, 211

forest, 137–139

formatting, disk, 169–171, 249–251

forward lookup zone, 530, 530–533

frame relay, 471

frames, 80, 631

dropped, 680

FTP. *see* File Transfer Protocol

G

game controller, 122

gateway, default, 229

Gateway Service for NetWare
(GSNW), 173, 212

installing, 549–552

GDI. *see* graphics device interface

global catalog, domains, 136

globally unique identifier
(GUID), 125

graphics, printing, 424

graphics device interface (GDI), 424

groups. *see also* security

group policies, 148, 307–308, 312–313

security templates, 148–150

security with, 147, 334–335, 496

using, 148–149

GSNW. *see* Gateway Service for
NetWare

GUID. *see* globally unique identifier

H

HAL. *see* hardware abstraction layer

handle, 582

hard page fault, 589

hardware. *see also* server hardware
planning

adding/removing, 207–208, 222–223

hardware abstraction layer (HAL), 168

hardware compatibility list (HCL), 41

hardware profile, 304

HCL. *see* hardware compatibility list
hibernate mode, 226

Hierarchical Storage Management
(HSM), 15

hives, 403

home directory, 259

host address (A) resource record, 530

“hot-swap”, 61. *see also* disk

HSM. *see* Hierarchical Storage
Management

HTML. *see* Hypertext Markup
Language

HTTP. *see* Hypertext Transfer Protocol
Hypertext Markup Language

(HTML), 13

Hypertext Transfer Protocol
(HTTP), 93

I

IAS. *see* Internet Authentication
Service

ICMP. *see* Internet Control Message
Protocol

IDE. *see* Integrated Device Electronics

IEEE. *see* Institute of Electrical and Electronics Engineers

IGMP. *see* Internet Group Management Protocol

IIS. *see* Internet Information Services

Industry Standard Architecture (ISA), 46

installation. *see also* Remote Installation Services; server installation
Windows 2000 components, 231–232

instance, 585

Institute of Electrical and Electronics Engineers (IEEE), 81

Integrated Device Electronics (IDE), 53

Integrated Services Digital Network (ISDN), 473, 475

Intel

- Celeron processor, 43
- Merced processor, 42

intelligent input/output (I₂O) architecture, 46–47

International Organization for Standardization (ISO), 81

Internet. *see also* browser; World Wide Web

- control panel options, 212
- integration with, 13

Internet Authentication Service (IAS), 481

Internet Control Message Protocol (ICMP), 93, 641

Internet Group Management Protocol (IGMP), 93

Internet Information Services (IIS), 424

- in general, 516–517
- IP and domain security, 524–525
- virtual directory creation, 520
- Web server configuration, 521–524
- Web server installation, 517–519
- Web server troubleshooting, 525–527

Internet interoperability, in general, 515

Internet Packet Exchange (IPX), 95–97

- installation, 226–228

Internet Printing Protocol (IPP), 425

Internet Server Application Programming Interface (ISAPI), 516

interrupt request (IRQ) line, 232

Intranet, 13

- IP and domain security configuration, 524–525

intruders. *see also* security tracking, 685–686

I₂O. *see* intelligent input/output architecture

I/O address, 232

IP address, for DNS server, 529

IPP. *see* Internet Printing Protocol

IPX. *see* Internet Packet Exchange

IRQ. *see* interrupt request

ISA. *see* Industry Standard Architecture

ISAPI. *see* Internet Server Application Programming Interface

ISDN. *see* Integrated Services Digital Network

ISO. *see* International Organization for Standardization

K

KCC. *see* Knowledge Consistency Checker

kernel, 11, 590

kernel mode, 400

key, 401

keyboard

- configuring, 221
- options for, 212

Knowledge Consistency Checker (KCC), 140

L

LAN. *see* local area network

language compatibility, 15

Last Known Good Configuration, 690

Layer Two Tunneling Protocol (L2TP), 477

“legacy” programs, 208. *see also* DOS library, 260

License Manager, setting up and using, 405–406

license monitoring, 398

licenses. *see also* permissions; security

- client access licenses, 173
- configuring, 546
- site license, 9

licensing method

- control panel options, 212
- per seat, 173
- per server, 173

line device, 473

line printer monitor (LPR), 426–427, 448

load balancing, 380

local area network (LAN), 81. *see also* network

local user profile, 304–305

logon script, 297

LPR. *see* line printer monitor

M

maintenance. *see* account maintenance

MAN. *see* metropolitan area network

management. *see also* account management

- devices and resources, 232–233
- in peer-to-peer network, 4

management information base (MIB), 638

mandatory user profile, 304

mapped drive. *see also* disk shared, 8

mapped folder. *see also* folder shared, 8

master boot record (MBR), 246

MBR. *see* master boot record

MCA. *see* Micro Channel Architecture

media access control sublayer, 83

media pools

- creating, 261–262
- in general, 260–261

media services, installing, 527–528

memory. *see also* virtual memory

- configuring, 269–270, 445
- leaking, 591
- performance monitoring, 587–591
- for printing, 445–446
- relation to server performance, 49–50, 600–601
- software interaction with, 591–592
- virtual, 446
- working set, 602

metropolitan area network (MAN), 82

MIB. *see* management information base

Micro Channel Architecture (MCA), 46

Microsoft Point-to-Point Encryption (MPPE), 489

Microsoft WINS, installing, 534

mixed mode, 335

modem

- aggregate link, 475
- configuring, 213–214, 474, 475
- Universal Modem Driver, 473

mouse, configuring, 212, 220–221

MPPE. *see* Microsoft Point-to-Point Encryption

MS-DOS. *see* DOS
 multicasts, 623
 Multilink, 483
 multimaster replication, 123
 multimedia, 215
 multitasking, preemptive, 12
 multithreading, 12

N

named pipes, 576
 name resolution, 127
 names
 objects, 127
 printers, 433
 servers, 172
 namespace, 127–128
 naming conventions, setting up, 288
 NAS. *see* NetWare Access Server
 native mode, 335
 NDIS. *see* Network Driver Interface Specification
 NetBEUI. *see* NetBIOS Extended User Interface
 NetBIOS. *see* Network Basic Input/Output System
 NetBIOS Extended User Interface (NetBEUI), 97
 advantages and disadvantages, 99–100
 installation, 231
 Netstat, 679
 NetWare Access Server (NAS), 468
 network. *see also* local area network
 basic concepts, 79, 80–81
 dial-up connections, 213
 installation, 178
 network interface cards, 83–84
 protocol binding order, 100–101
 topology, 81
 types of, 81–82
 Network Basic Input/Output System (NetBIOS), 97
 discussed, 98–99
 network binding, 84
 network communication protocols. *see* network protocols
 network-compatible programs, 398
 Network Driver Interface Specification (NDIS), 84, 623
 network driver specifications. *see also* drivers
 in general, 84
 NDIS, 84
 ODI, 85

networking
 in general, 1
 peer-to-peer, 2, 3–4
 server-based, 2, 4–5
 network interface card (NIC). *see also* drivers
 choosing, 48–49
 discussed, 83–84
 full or half duplex, 48
 media access control sublayer, 83
 monitoring, 642
 physical device address, 83
 troubleshooting, 635–636, 677
 network interoperability. *see* Internet interoperability
 network management, in peer-to-peer network, 4
 network model, planning, in general, 2
 Network Monitor, 623. *see also* security; System Monitor
 using
 baseline establishment, 634–635
 capture trigger use, 633–634
 filter creation, 631–633
 in general, 625–631
 problem diagnosis, 635–636
 unauthorized user detection, 637
 network monitoring. *see also* server monitoring
 FTP services monitoring, 644–646
 in general, 621, 622
 Network Monitor Driver, 623–625
 network tuning tips, 647
 NIC monitoring, 642
 protocol activity monitoring, 643
 SMTP services monitoring, 646
 with System Monitor, 640–646
 utilization and bottlenecks monitoring, 644
 Web monitoring, 644–646
 Windows 2000 Server, 623
 Network News Transfer Protocol (NNTP), 516
 network operating system (NOS), 2
 network planning
 in general, 101–102
 protocol selection, 103
 sample scenarios, 103–104
 network protocols. *see also* communications protocols; network protocols configuration

AppleTalk, 100
 DLC, 100
 in general, 79, 80–81, 85
 IPX/SPX, 95–97
 monitoring, 643
 NetBIOS and NetBEUI, 97–100
 NWLink, 95–97
 TCP/IP, 86–95, 103
 network protocols configuration
 NetBEUI, 231
 NWLink IPX/SPX, 226–228
 TCP/IP, 228–231
 NIC. *see* network interface card
 NNTP. *see* Network News Transfer Protocol
 NOS. *see* network operating system
 NT File System (NTFS), 17–19
 NTFS. *see* NT File System
 NTLM. *see* Windows NT LAN Manager
 NWLink, 95–97, 173
 NWLink IPX/SPX installation, 226–228

O

object, 123
 common name, 127
 distinguished name, 127
 monitoring, 586–587
 relative distinguished name, 127
 object management and security. *see also* account management; printer installation and management; security
 configuring folder and file security, 348–363
 attributes, 349–351
 auditing, 357–359
 options, 351–352
 ownership, 359
 permissions, 351–357
 share permissions, 347, 360–362
 Web sharing, 362–363
 configuring rights, 347–348
 in general, 345–347
 troubleshooting security conflict, 364
 ODBC. *see* Open Database Connectivity
 ODI. *see* Open Datalink Interface
 Open Database Connectivity (ODBC), 516
 Open Datalink Interface (ODI), 85
 OpenGL, 219
 Open Shortest Path First (OSPF), 93

operating systems, 11
 client operating systems, 305–308
 organizational unit (OU), 132–134, 292
 creating, 300–301
 OSI model, 641
 OSPF *see* Open Shortest Path First
 OU. *see* organizational unit
 ownership, 351
 configuring, 359

P

packets, 80, 631. *see also* Internet
 Packet Exchange
 page-description language (PDL), 445
 page file, 267
 monitoring, 587–591
 paging, 267
 PAP. *see* Password Authentication
 Protocol
 partitioning
 active, 249
 boot, 248
 disks, 169–171, 246–248
 formatting and, 249–251
 primary and extended, 248–249
 partition table, 246
 password. *see also* authentication;
 security
 administrator account, 172
 changing, 126, 294–295
 resetting, 303
 security of, 288–289
 Password Authentication Protocol
 (PAP), 448
 PCI. *see* Peripheral Computer
 Interface
 PCL. *see* Printer Control Language
 PDC. *see* primary domain controller
 PDL. *see* page-description language
 peer-to-peer network. *see also* net-
 working
 using, 2, 3–4
 Pentium computers. *see also*
 workstation
 CPU sizing, 42–44
 performance logs, utilizing, 602–605
 Peripheral Computer Interface
 (PCI), 46
 permissions, 145. *see also* licenses;
 rights; security
 configuring, 351–357
 inherited, 352
 printer, 443, 452

share permissions, 347, 360–362, 443
 in terminal services, 543–545
 phone/modem, control panel options,
 213–214
 ping utility. *see also* troubleshooting
 troubleshooting with, 678–679
 PjL. *see* printer job language
 Plug and Play (PnP), 47
 PnP. *see* Plug and Play
 pointer (PTR) resource record, 530
 Point-to-Point protocol (PPP),
 476–477
 Point-to-Point Tunneling Protocol
 (PPTP), 477
 portable operating system interface
 (POSIX), 18
 POSIX. *see* portable operating system
 interface
 PostScript, 445–446. *see also* printer
 power management, 15
 configuring, 214, 224–226
 PPP. *see* Point-to-Point protocol
 PPTP. *see* Point-to-Point Tunneling
 Protocol
 Preboot eXecution Environment
 (PXE), 311
 primary domain controller (PDC), 122
 primary group, 298
 print client, 422
 print device, 422
 configuring, 444–445, 449
 printer
 default, 450
 local and shared printers, 428–434
 options for, 214
 power supply for, 271
 publishing in Active Directory, 436
 server relations with, 9
 Printer Control Language (PCL), 441
 printer driver, 422
 loading, 437
 printer installation and management.
see also object management and
 security
 Add/Remove Hardware
 Wizard, 430
 configuration
 device settings, 444–445
 in general, 434–435
 general printer specifications, 435
 with IP and MAC addresses,
 447–449

nonlocal or Internet printer,
 446–447
 port specifications, 437–438
 PostScript memory allocation,
 445–446
 printer scheduling and options,
 439–442
 security, 442–444
 sharing printers, 435–437
 in general, 421
 Internet printing, 424–425
 local and shared printers, 428–434
 network printing, 424
 overview, 422–423
 Plug and Play procedures, 431
 print job data types, 425–426
 print jobs
 in general, 449–450
 moving, 452
 printing status control, 450–451
 specific job control, 451–452
 problem solving, 452–453
 Windows 2000 print monitors,
 426–428
 printer job language (PjL), 428
 printer pooling, 438
 printing
 bidirectional, 428
 Hold mismatched documents
 option, 440
 line print monitor, 426–427
 local, 426
 printer job language, 428
 separator pages, 441
 troubleshooting, 682–684
 print queue, 451, 453
 print server, 422
 privileged mode, 11
 process, 578, 580–581
 base priority class, 581
 processor, monitoring, 592–595
 processor cache, 43
 process tree, 580
 profiles, 304–305
 protocols. *see* network protocols
 PSCRIPT1 data type, 426
 PTR. *see* pointer resource record
 PXE. *see* Preboot eXecution
 Environment
Q
 QoS. *see* Quality of Service
 Quality of Service (QoS), 94

R

- RADIUS. *see* Remote Authentication Dial-in User Service
 - RAID. *see* redundant array of inexpensive disks
 - RAS. *see* Remote Access Services
 - recovery console. *see also* troubleshooting
 - using, 693–698
 - Reduced Instruction Set Computer (RISC), 53
 - redundant array of inexpensive disks (RAID), 57–59, 61, 596
 - Registry, 262
 - Registry operating system
 - in general, 401–402
 - HKEY_CLASSES_ROOT, 404
 - HKEY_CURRENT_CONFIG, 404
 - HKEY_CURRENT_USER, 403
 - HKEY_LOCAL_MACHINE, 402–403
 - HKEY_USERS, 404
 - reliability, 11–12
 - remote access. *see also* Remote Access Services; virtual private network
 - DHCP Relay Agent configuration, 481, 482–483
 - in general, 467, 468–470
 - implementing, 474–475
 - multilink/bandwidth allocation protocol, 483–484
 - protocols, 476–477
 - troubleshooting
 - hardware, 497–498
 - software, 498–499
 - using, 472–473
 - Remote Access Services (RAS), 469, 472. *see also* remote access
 - client configuration for dial-up access, 491–493
 - configuring, 478–482
 - dial-up configuration, 490–491
 - security options, 484–490
 - Remote Authentication Dial-in User Service (RADIUS), 481
 - Remote Installation Services (RIS). *see also* installation; server installation
 - client computer installation, 311–312
 - configuring, 310–311
 - in general, 308–310
 - installation groups creation, 312–313
 - troubleshooting tools, 314
 - replica set, 383, 389–390
 - resource management, 10
 - Resource Reservation Protocol (RSVP), 93
 - resources. *see also* server resources
 - handles, 582
 - managing, 232–233
 - monitoring, 576–577
 - sharing, 8–10
 - restore, performing, 266
 - reverse lookup zone, 530, 530–533
 - rights, 147. *see also* permissions
 - configuring, 347–348
 - inherited, 347
 - RIP. *see* Routing Information Protocol
 - RIS. *see* Remote Installation Services
 - RISC. *see* Reduced Instruction Set Computer
 - roaming profile, 304
 - root key, 402
 - router, 91
 - Routing Information Protocol (RIP), 93
 - RSVP. *see* Resource Reservation Protocol
 - Run as option, using, 666–667
- S**
- Safe mode. *see also* troubleshooting
 - troubleshooting with, 688–691
 - SAM. *see* Security Accounts Manager
 - SAP. *see* Service Access Point; Service Advertising Protocol
 - scalability, 10–11
 - scanners, options for, 214
 - scheduling
 - backup operations, 264–265
 - in control panel, 214–215
 - schema, Active Directory, 125–127
 - scope of influence, 334
 - screen saver, 219
 - SCSI. *see* Small Computer System Interface
 - SCSI-3 adapters, 53
 - Secure Socket Layer/Transport Layer Security (SSL/TLS), 144
 - Secure Sockets Layer (SSL), 517
 - security. *see also* Active Directory; disk security; Network Monitor; object management and security; password basics
 - in general, 102, 121, 143
 - interactive logon security, 144
 - object security, 144–146
 - services security, 146–147
 - callback, 299, 484–485
 - client desktop set up, 307–308
 - in Dfs root system, 391–392
 - domains and, 129–130
 - file and folder configuration, 348–363
 - in general, 102, 121, 143
 - with groups, 147–150, 334–335
 - IP and domain security configuration, 524–525
 - IP security, 150–151
 - Kerberos, 289, 291–292
 - levels of control for, 10
 - monitoring user connections, 499
 - in peer-to-peer network, 4
 - printers, 430, 442–444
 - remote access, 484–490
 - troubleshooting
 - in general, 684–685
 - intruder tracking, 685–686
 - System Security and Analysis Tool, 686–687
 - UPS fault tolerance, 270–272
 - Security Accounts Manager (SAM), 122
 - security descriptors, 144
 - security groups, 147. *see also* groups
 - security log, 667
 - sequence packet exchange (SPX), 95
 - Serial Line Internet Protocol (SLIP), 476, 477
 - server. *see also* Web server; Windows 2000 Server
 - access server, 475, 478
 - member, 174
 - setup and testing, 63–64
 - standalone, 174
 - as workstation, 3, 4
 - server-based network. *see also* networking
 - using, 2, 4–5
 - server configuration. *see also* server environment configuration
 - control panel
 - accessibility options, 207
 - add/remove hardware, 207–208
 - add/remove programs, 208–209
 - administrative tools, 209
 - date/time, 209
 - display, 209–210
 - fax, 210

- folder options, 210–211
- fonts, 211
- game controllers, 212
- in general, 206–207
- GSNW, 212
- Internet options, 212
- keyboard, 212
- licensing, 212
- mouse, 212
- network dial-up connections, 213
- phone/modem options, 213–214
- power options, 214
- printers, 214
- regional options, 214
- scanners and cameras, 214
- scheduled tasks, 214–215
- sounds and multimedia, 215
- system, 215–216
- disks, 246–256
- in general, 205, 245–246
- for performance
 - application performance, 266–267
 - memory, 269–270
 - virtual memory, 267–268
- server environment set-up, 206
- server environment configuration. *see also* server configuration
 - device management, 232–233
 - display, 218–220
 - driver signing, 216–218
 - hardware, 222–223
 - keyboard, 221
 - mouse and pointing devices, 220–221
 - power management, 224–226
 - protocols, 226–231
 - startup and recovery, 223–224
 - Windows 2000 components installation, 231–232
- server hardware planning
 - backup media, 62
 - bus architectures, 46
 - CD-ROM choices, 63
 - compatibility, 41–42
 - CPU sizing
 - clustering computers, 44–45
 - multiprocessor computers, 44
 - Pentium computers, 42–44
 - disk storage
 - disk capacity, 51–52
 - disk contention, 52–55
 - fibre channel, 55
 - in general, 50
 - disk storage fault tolerance, 56–59
 - selecting, 60–61
 - in general, 39–40
 - I₂O architecture, 46–47
 - memory sizing, 49–50
 - network interface cards, 48–49
 - Plug and Play, 47
 - server setup and testing, 63–64
 - software RAID compared to hardware RAID, 61
 - system requirements, 40–41
 - universal serial bus (USB), 47
- server installation. *see also* installation; Remote Installation Services
 - administrator account password, 172
 - CD-ROM installation, 177–178
 - decisions, disk partition selection, 169–171
 - emergency repair disk creation, 190
 - floppy disk installation, 177–178
 - from existing operating system, 179
 - in general, 165
 - hardware, 166–169
 - licensing method, 173
 - network access, 173–174
 - network installation, 178
 - options, in general, 174–177
 - Part 1, 181–182
 - Part 2, 184–186
 - preparations, 166
 - protocol selection, 173
 - server name, 172
 - service packs installation, 192–194
 - testing, 186–187
 - troubleshooting, 190–191
 - unattended, 179–181
 - uninstalling, 194
 - upgrading server and domain, 188–189
 - Windows 2000 Server file systems, 171
- server monitoring. *see also* network monitoring; System Monitor
 - benchmark establishment, 570–571
 - CPU utilization, 579
 - in general, 569, 570
 - pausing, 575
 - Task Manager use, 577–583
 - trace logs, 604
 - user and resource monitoring, 576–577
- Windows 2000 Server services, 571–573
 - monitoring, 573–576
- server resources. *see also* resources
 - converting groups from Windows NT Server, 342–343
 - default Windows 2000 groups, 343–345
 - domain groups implementation, 335–336
 - in general, 334–335
 - global groups implementation, 336–338
 - groups creation, 341–342
 - local groups implementation, 335
 - universal groups implementation, 338–340
- Service Access Point (SAP), 631
- Service Advertising Protocol (SAP), 227
- service packs, installation, 192–194
- service ticket, 290
- Shiva Password Authentication Protocol (SPAP), 489
- Simple Mail Transfer Protocol (SMTP), 91
- Simple Network Management Protocol (SNMP). *see also* Network Monitor
 - in general, 50, 93
 - using, 637–640
- site, 140–142
- site link bridge, 141
- site link object, 141
- SLIP. *see* Serial Line Internet Protocol
- slip streaming, 192
- Small Computer System Interface (SCSI), 53
- smart card, 144
- SMP. *see* symmetric multiprocessor
- SMTP. *see* Simple Mail Transfer Protocol
- SNMP. *see* Simple Network Management Protocol
- software
 - DOS “legacy,” 208
 - installing and managing
 - in general, 397–398
 - user mode applications, 400
 - using add/remove programs, 399
 - interaction with memory, 591–592
 - loading and running, 9
- sounds, 215

- SPAP. *see* Shiva Password Authentication Protocol
- spooler, 424, 453
- spool file, 424
- spooling, 422
- SSL. *see* Secure Sockets Layer
- SSL/TLS. *see* Secure Socket Layer/Transport Layer Security standards, 81
- standby mode, 225
- startup and recovery, configuring, 223–224
- static addressing, 89–90
- storage. *see also* backup; disk; disk storage; memory
- removable
 - in general, 259–260
 - libraries, 260
 - media pools, 260–262
 - for spooling, 424
- streaming, 527
- stripe set, 251
- subkey, 401, 403
- subnet mask, 88
- subtree, 402
- symmetric multiprocessor (SMP) computer, 11, 44
- syntax, in commands, 694
- system, control panel options for, 215–216
- system log, 667
- System Monitor. *see also* Network Monitor; server monitoring; terminal services
- alerts, 602–605
 - disk performance monitoring, 595–599
 - file system cache monitoring, 600–602
 - memory performance monitoring, 587–591
 - options, 586–587
 - page file monitoring, 587–591
 - performance logs, 602–605
 - processor monitoring, 592–595
 - software and memory interaction, 591–592
 - Terminal Services monitoring, 599–600
 - using
 - in general, 583–585
 - for network monitoring, 640–646
- System Security and Analysis Tool, 686–687
- ## T
- TAPI. *see* Telephone Application Programming Interface
- Task Manager, utilization, 577–583
- T-carrier, 471
- TCO. *see* total cost of ownership
- TCP/IP. *see* Transmission Control Protocol/Internet Protocol
- Telephone Application Programming Interface (TAPI), 473
- Telnet, 91
- Telnet server. *see also* Windows 2000 Server
- configuring, 548–549
- terminal, 540
- terminal server, 539. *see also* Windows 2000 Server
- terminal services. *see also* System Monitor
- applications installation, 546
 - client configuration, 545
 - configuring, 543–545
 - in general, 539–541
 - installing, 541–542
 - licensing configuration, 546
 - managing, 542–543
 - monitoring, 547, 599–600
 - troubleshooting, 547–548
- testing, 186–187
- hardware, 222–223
- Testps.txt file, 446
- TEXT data type, 426
- thin client, 539
- thread, 582
- time, setting up, 209
- topology, 81
- total cost of ownership (TCO), 5–6, 90
- trace logs, 604
- transaction logging, 20
- transitive trust relationship, 135
- Transmission Control Protocol/Internet Protocol (TCP/IP). *see also* Communications protocols
- configuration, 228–231
 - in general, 86–87, 103
 - IP addressing, 87–88
 - print procedures, 427
 - protocols, 91–95
- Address Resolution Protocol (ARP), 92
- Domain Name Service (DNS), 92
- File Transfer Protocol (FTP), 91
- Hypertext Transfer Protocol (HTTP), 93
- Internet Control Message Protocol (ICMP), 93
- Internet Group Management Protocol (IGMP), 93
- Open Shortest Path First (OSPF), 93
- Quality of Service (QoS), 94
- Resource Reservation Protocol (RSVP), 93
- Routing Information Protocol (RIP), 93
- Simple Mail Transfer Protocol (SMTP), 91
- Simple Network Management Protocol (SNMP), 93
- Telnet, 91
- remote access and, 468
 - troubleshooting, 678–679
- trap, 639
- tree, 135
- troubleshooting. *see also* backup operations; benchmarks; troubleshooting strategy
- auditing, 358–359
 - boot problems
 - emergency disk use, 691
 - Last Known Good Configuration, 690
 - recovery console use, 693–698
 - Safe mode, 688–691
 - cable problems, 680–681
 - client, server, connectivity problems, 674–677
 - configuration problems, 672–673
 - cyclic redundancy check, 680
 - Dynamic Host Configuration Protocol, 538–539
 - with Event Viewer, 667–671
 - failed system volume restoration, 700
 - in general, 663
 - NIC broadcast problems, 677
 - with ping utility, 678–679
 - printing problems, 682–684
 - remote access, 497–499
 - security and access problems, 364, 684–687

server installation, 190–191
 TCP/IP connectivity, 678–679
 Web server, 525–527

troubleshooting strategy. *see also* troubleshooting
 business processes, 665
 problem solving, 665–666
 problem tracking, 666
 server/network interaction, 664
 training users, 664–665
 using Run as option, 666–667

trust
 transitive, 135
 two-way, 135
 trusted domain, 135

U

UDF. *see* uniqueness database file;
 Universal Disk Format
 UDP. *see* User Datagram Protocol
 UNC. *see* Universal Naming
 Convention
 Uniform Resource Locator
 (URL), 520
 uninterruptible power supply (UPS),
 fault tolerance, 270–272
 uniqueness database file (UDF), 180
 Universal Disk Format (UDF), 19
 Universal Modem Driver, 473
 Universal Naming Convention
 (UNC), 297
 universal serial bus (USB), 47
 upgrading, server and domain,
 188–189
 UPN. *see* user principle name
 UPS. *see* uninterruptible power supply
 URL. *see* Uniform Resource Locator
 USB. *see* universal serial bus
 user
 local user profile, 304–305
 monitoring, 576–577
 User Datagram Protocol (UDP), 86
 user mode applications, 400
 user principle name (UPN), 128

V

value, 401
 virtual directory, creating, 520

virtual memory. *see also* memory
 configuration, 267–268
 virtual private network (VPN). *see also*
 remote access
 configuration
 ISP network connection, 493–494
 ports, 496–497
 VPN server installation, 494–495
 VPN server properties, 495–496
 in general, 467, 470–472
 IP and domain security configura-
 tion, 524–525
 monitoring user connections, 499
 troubleshooting
 hardware, 497–498
 software, 498–499
 volume, 249
 mirrored, 256
 RAID-5, 255–256
 simple, 252–253
 spanned, 253
 striped, 254
 volume sets, 251
 VPN. *see* virtual private network
 VPN server. *see* virtual private
 network

W

WAN. *see* wide area network
 WBEM. *see* Web-based Enterprise
 Management
 Web-based Enterprise Management
 (WBEM), 15
 Web browser, 516
 Web server. *see also* server;
 Windows 2000 Server
 configuring, 521–524
 installing, 517–519
 troubleshooting, 525–527
 Web sharing, 362–363
 wide area network (WAN), 82
 Windows 2000 Server. *see also* server;
 server monitoring; Telnet server; Web
 server
 capabilities
 compatibility, 10–11
 distributability, 12
 electronic commerce, 13

fault tolerance, 13
 in general, 7–8
 Internet integration, 13
 reliability, 11–12
 resource management, 10
 resource sharing, 8–10
 scalability, 10–11
 security, 10
 compared to Windows 2000
 Advanced Server, 7
 compared to Windows 2000
 Datacenter, 7
 compared to Windows 2000
 Professional, 5–6
 compatibility, 10–11, 41–42
 features, 13–14
 file systems, 171
 network monitoring, 623
 printing features overview, 422–423
 print monitors, 426–428
 server services
 monitoring, 573–576
 utilization, 571–573
 Windows Internet Naming Service
 (WINS), 50, 90
 Windows NT LAN Manager
 (NTLM), 291
 Windows Sockets (sockets), 91
 Winnt, 174–177
 WINS. *see* Windows Internet Naming
 Service
 workgroup, 3
 workstation, 2, 3, 6. *see also* Pentium
 computers
 World Wide Web (WWW). *see also*
 Internet
 integration with, 13
 WWW. *see* World Wide Web

Z

ZAW. *see* Zero Administration for
 Windows
 Zero Administration for Windows
 (ZAW), 15, 90